

SOLAR LED LIGHTS

Commercial Billboards and Signs


DO YOU WANT TO **SAVE MONEY** WITH **NO ELECTRIC COST**?

HOW TO GET THE RIGHT SOLAR LED LIGHTING FOR YOUR BILLBOARDS?

Bronco Synergy Resources Sdn. Bhd. supplies and installs high-efficiency solar LED lighting for billboards and large signs of all sizes. Solar LED lighting is one of the most cost-effective investments that your business can make today. Traditional lighting systems can be expensive and not to mentioned purchase, install, operate and maintain.

Traditional lighting systems often require long runs of electrical wire (from a power source to the light fixture). Additionally, traditional lights with incandescent light bulbs require constant, and often expensive, maintenance throughout their lifetime, as well as the monthly costs of electric bills to run the light every night.

Our solar LED lighting systems are less expensive compared to large electrical lighting systems, which often require a lot of specialized equipment for electrical connections and installation, which can significantly drive up your overhead investment. **Our solar LED lighting easily slashes your expenses in all these. Additionally, there are no monthly operation costs...at all.**



Billboard Site: Broga, Semenyih, Selangor



Model: BSR 100watt Solar LED Light (IP65)

LED POWER: 100 watt	COLOR TEMP: 6000K
INPUT VOLTAGE: 12 V	DISCHARGE TIME: >11HRS
SOLAR SIZE: 500 x 45 x 18MM	SOLAR PANEL POWER: 35W
LED BRAND: EPISTAR SMD	LIFE SPAN: >50000HRS
LAMP SIZE: 315 x 285 x 120MM	MATERIALS: DIE CAST ALUMINIUM & 5MM GLASS
IR Rating: IP65	CONTROLS: OPTICAL SENSOR & PRESET TIMER
LUMENS: 10000-1100lm	CHARGE TIME: ~ 6HRS
VIEW ANGLE: 120°	WARRANTY: 1 YEAR



Model: BSR 50watt Solar LED Lights (IP65)

LED POWER: 50 watt	COLOR TEMP: 6000K
INPUT VOLTAGE: 12 V	DISCHARGE TIME: >11HRS
SOLAR SIZE: 480 x 360 x 18MM	SOLAR PANEL POWER: 20W

LED BRAND: EPISTAR SMD	LIFE SPAN: >50000HRS
LAMP SIZE: 285 x 235 x 120MM	MATERIALS: DIE CAST ALUMINIUM & 5MM GLASS
IR Rating: IP65	CONTROLS: OPTICAL SENSOR & PRESET TIMER
LUMENS: 4500-5000lm	CHARGE TIME: ~ 6HRS
VIEW ANGLE: 120°	WARRANTY: 1 YEAR



Model: BSR 150watt Solar LED Light (IP65)

LED POWER : 150 WATT	COLOR TEMP: 6000K
INPUT VOLTAGE: 12 V	DISCHARGE TIME: 4-5 HRS > 8HRS ADJ DIMMER
SOLAR SIZE: 1200X 540X 25MM	SOLAR PANEL POWER: 24v 100W
LED BRAND: EPISTAR SMD	LIFE SPAN:>50000HRS
LAMP SIZE: 385X285X170MM	MATERIAL: DIE CAST ALUMINIUM & 5MM Glass
IP RATING: IP65	CONTROLS: OPTICAL SENSOR & DIMMER
LUMENS: 15000-16000lm	CHARGE TIME: ADAPTER 4-5 HRS, SOLAR ≈ 9HRS
VIEW ANGLE: 120°	WARRANTY: 1 YEAR

Specification subject to change without notice.



Model: BSR 200 watt Solar LED Light (IP65)

LED POWER : 200 WATT	COLOR TEMP: 6000K
INPUT VOLTAGE: 12 V	DISCHARGE TIME: 4-5 HRS > 8HRS ADJ DIMMER
SOLAR SIZE: 1200X 540X 25MM	SOLAR PANEL POWER: 24v 100W
LED BRAND: EPISTAR SMD	LIFE SPAN: 50000HRS
LAMP SIZE: 455X325X200MM	MATERIAL: DIE CAST ALUMINIUM
IP RATING: IP65	CONTROLS: OPTICAL SENSOR & DIMMER
LUMENS: 20000 -22000lm	CHARGE TIME: ADAPTER 4-5 HRS, SOLAR ≈ 9HRS
VIEW ANGLE: 120°	WARRANTY: 1 YEAR

Specification subject to change without notice.

FOR QUOTATION CALL:

BRONCO SYNERGY RESOURCES SDN. BHD. (CO. REG. 1020341-M)

No. 5, Jalan Sungai Burung X32/X Bukit Rimau Seksyen 32, 40460 Shah Alam, Selangor

Tel: +603-51212831 Fax: +603-51210831 Email: brncosynergy.net@gmail.com